

RAAR Group USA LLC

30 N. Gould Street, Suite 3253

Sheridan, WY 82801

Ph: 307-219-1560 Fax: 307-363-5298

CAGE Code: 9D4L5

Signatory: Rick Schotts

Email: rick.raargroup@gmail.com

Established Since 1985/Veteran Owned

www.raargroupusa.com

VERSION WHEELON, MODEL 29000R-50-116, FLEX-DIE RUBBER PAD, S/N 27296,

FLUID FORMING CAPACITY TONNAGE 29,000 FORMING PRESSURE:

THRU 10,000 P.S.I., TRAYS: TWO TRAY SIZE AT TOP 50" X 116" (1,270 MM X 2,946.4 MM) RIGHT TRAY AREA AT A 6 INCH (152.4 MM) DEPTH 42" X 109" (1,079.5 MM X 2,768.6 MM), LEFT TRAY AREA AT A 10 INCH (254 MM) DEPTH 37" X 104", MOTOR DRIVES: ALL MOTORS WIRED 440 VOLTS, 3 PHASE,

(2) EVACUATE HIGH PRESSURE PUMPS 75 HP & 150 HP,

(1) ACC PUMP 30 HP (1) PILOT PUMP 20 HP,

(1) VACUUM PUMP 15 HP, (1) FILTER PUMP 1/4 HP, CONTROLS: WIRED 115 VOLTS, OPERATOR CONTROL STATION LOCATED CENTER OF BARREL, (2) SIDE CONTROLS STATIONS LOCATED AT END OF EACH BARREL WITH EMERGENCY STOP BUTTONS, EQUIPPED WITH: (1) POWER UNIT AND OIL RESERVOIR,

(1) NITROGEN INTENSIFIER PUMP.

(2) THROW PAD ROLL-UP DEVICE FOR EACH TABLE,

(1) ACCUMULATOR HYDRAULIC OIL STORAGE TANK, (1) FLUID CELL,

(1) RUBBER PAD ELECTRICAL STARTER PANELS, COMPLETE FACTORY SAFETY GUARDS, DIMENSIONS 342.16" L-R X 120", F-B X 1873/8" HEIGHT WITH FILL LINES,

MAIN CHAMBER WITH FILL LINES, HEIGHT ABOVE GROUND 161 7/8" (428.63 MM), POWER UNIT AND OIL RESERVOIR F-B 96" X 178" (2,438.4 MM X 4,521.2 MM, INTENSIFIER 33" X 33" X 132" HT. (38.2 MM X 838.2 MM X 3,352.8 MM), ACCUMULATOR 80" DIAMETER X 186" HT. CONTROL PANEL 144" LR X 18" FB X 91" HT., APPROX. WT. 363,700 LBS, (2,032 MM DIAMETER X 4,724.4 MM HT.) (3,657.6 MM FB X 457.2 FB X 2,311.4 MM HT

PRICE: \$825,000.00

This price loading onto trucks, but not freight to your location, includes floor mounted installation and start up at your facility. Your company must provide the required power available to the machine. If you require a foundation for the machine, we can provide the information for a foundation expert that built a foundation for the sister machine of this one in California. The foundation builder resides in Tennessee. The installation team would come from Los Angeles, CA. They are currently providing an installation and rebuild on a large skin stretch press at Radius Aersospace in Arkansas.

<https://raargroupusa.com/version-wheelon-model-29000r-50-116>















TRADE **Version** MARK

Wheelon

MACHINE NO. 29000R-50-116

SERIAL NO. 27296

CAPACITY 2.9000 **TONS**

PRESSURE (MAX) 10000 P.S.I.

PLATEN AREA 37.75 X 1.04 IN.

PLATEN DEPTH 10 IN.

(PATENT APPLIED FOR)

VERSON ALLSTEEL PRESS CO.
CHICAGO - 19, - ILL. - DALLAS, TEX. - U. S. A.

MS-1539

VERSION

ILLINOIS DALLAS, TEXAS CHARLEROI BELGIUM

EQUIPMENT MANUFACTURED UNDER ONE OR MORE OF THE
FOLLOWING U. S. PATENTS

43	3,424,080	3,545,241	3,730,313	4,085,523
481	3,430,779	3,550,473	3,889,503	
716	3,432,042	3,561,279	3,896,911	
411	3,456,814	3,581,656	3,931,727	
399	3,496,619	3,592,131	3,969,918	
433	3,498,424	3,595,212	3,971,127	